

Chapter 3

Use and Occupancy Classification

- Section 303 Assembly Group A – A-2, A-3, A-4 need to include all of the list of uses that describe assembly occupancy. (posted January 3, 2008)

SECTION 303

ASSEMBLY GROUP A

A-2 Assembly uses intended for food and/or drink consumption including, but not limited to:

- Banquet halls
- Dance halls
- Night clubs
- Restaurant
- Taverns and bars

A-3 Assembly uses intended for worship, recreation or amusement and other assembly uses not classified elsewhere in Group A, including, but not limited to:

- Amusement arcades
- Art galleries
- Auction houses
- Auditoriums
- Bowling alleys
- Churches including fellowship halls, religious education classrooms, recreation and family life centers
- Community halls
- Courtrooms
- Dance halls not including food or drink consumption
- Exhibition halls
- Fitness clubs
- Funeral parlors
- Gymnasiums without spectator seating
- Gymnastic centers without spectator seating
- Health clubs
- Indoor swimming pools without spectator seating
- Indoor tennis courts without spectator seating
- Lecture halls
- Libraries
- Museums
- Passenger Stations (waiting areas)
- Places of religious worship, including fellowship halls, religious education classrooms, recreation and family life centers
- Pool and billiard parlors

A-4 Assembly uses intended for viewing of indoor sporting events and activities with spectator seating, including, but not limited to:

- Arenas
- Gymnasiums
- Skating rinks
- Swimming pools
- Tennis courts

- Section 307.1.2 should be numbered 307.1.1 and Section 307.1.3 should be numbered 307.1.2. (posted January 3, 2008)

307.1.1 Referenced codes. The fire code official shall have exclusive jurisdiction for code enforcement of the storage, handling, processing and transportation of flammable and combustible liquids and other hazardous materials pursuant to 815 KAR 10:060 (Kentucky Standards of Safety); and fees for the installation and alteration of tanks and piping systems shall be paid in accordance with Section 307.1.2.”

307.1.2 Flammable, combustible liquids or gases and hazardous materials plan review fee: \$100 per tank, plus \$50 for each additional tank and \$100 per piping system including valves, fill pipes, vents, leak detection, spill and overfill detection, cathodic protection or associated components.”